

References

⁸Jacobs WCH, et al. "Surgery versus conservative management of sciatica due to lumbar herniated disc: A systematic review." *European Spine Journal* 20.4 (2011): 513-22.

⁹Jordon JL, Konstantinou K, & O'Dowd J. "Herniated lumbar disc." *BMJ Clinical Evidence* 2009 (2009): 1118.

¹⁰Liujsterburg PAJ, et al. "Conservative treatment in patients with an acute lumbosacral radicular syndrome: Design of a randomised clinical trial [ISRCTN68857256]." *BMC Musculoskeletal Disorders* 5 (2004): 39.

¹¹Weber H, Holme I, & Amelie E. "The natural course of acute sciatica with nerve root symptoms in a double-blind placebo-controlled trial evaluating the effect of piroxicam." *Spine* 18.11 (1993): 1433-8.

¹²Gibson JN, & Waddell G. "Surgical interventions for lumbar disc prolapse." *The Cochrane Library* (2007).

¹³Ambrossi GLG, et al. "Recurrent lumbar disc herniation after single-level lumbar discectomy incidence and health care cost analysis." *Neurosurgery* 65.3 (2009): 574-8.

¹⁴Carragee EJ, et al. "A prospective controlled study of limited versus subtotal posterior discectomy: Short-term outcomes in patients with herniated lumbar intervertebral discs and large posterior anular defect." Spine 31.6 (2006): 653-7.

¹⁵McGirt MJ, et al. "A prospective cohort study of close interval computed tomography and magnetic resonance imaging after primary lumbar discectomy: Factors associated with recurrent disc herniation and disc height loss." Spine 34.19 (2009): 2044-51.

¹⁶McGirt MJ, et al. "Recurrent disc herniation and longer-term back pain after primary lumbar discectomy: Review of outcomes reported for limited versus aggressive disc removal." Neurosurgery 64 (2009): 338-45.

¹⁷Carragee EJ, et al. "A prospective controlled study of limited versus subtotal posterior discectomy: Short-term outcomes in patients with herniated lumbar intervertebral discs and large posterior anular defect." Spine 31.6 (2006): 653-7.